

ProTech903™ D2

Lead-Acetate Tape Analyzer for H₂S / TS

GALVANIC

APPLIED SCIENCES



ProTech Introduction

- Lead-Acetate Tape Technology for H₂S & Total Sulfur
- Manufactured In & Supported From Calgary, AB
- Backed by 40 Years of Experience in Natural Gas

Rapid Return-On-Investment

- Never Miss Unexpected Sour Event Spikes
- Guaranteed Contractual Compliance
- Automate Custody Transfer Validation
- Avoid Pipeline "Lock-Out" From Contamination

Measurement Certainty

- 0.005 ppm LDL Every 3 Minutes
- No Cross Interferences for H₂S
- Predictive Alarm in ≤ 20 Seconds
- Wide Over-Range Detection
- Multi-Stream Up to 4 Channel
- 10 Months Data Logging Storage
- CSA Class 1 Div. 2 Certified


Key Applications

Refinery / Petrochemical

- Flare Emissions
- Catalyst Protection
- Fuel Gas

Natural Gas

- Well Head
- Processing Plant Inlet, Outlet, and Flare
- Natural Gas, LNG, and NGL Pipeline
- Custody Transfer




ProTech903™ D2

ProTech903™ D2

Lead-Acetate Tape Analyzer for H₂S / TS

GALVANIC
APPLIED SCIENCES


Extended-Life Tape With No Interferences




Humidifier Provides Faster Response



Large Local Display With LED Indicators



Secure Remote Access With Advanced Diagnostics



ProTech903™ D1 / CE

Lead-Acetate Tape Analyzer for H₂S / TS

GALVANIC

APPLIED SCIENCES



ProTech Introduction

- Lead-Acetate Tape Technology for H₂S & Total Sulfur
- Manufactured In & Supported From Calgary, AB
- Backed by 40 Years of Experience in Natural Gas

Rapid Return-On-Investment

- Never Miss Unexpected Sour Event Spikes
- Guaranteed Contractual Compliance
- Automate Custody Transfer Validation
- Avoid Pipeline "Lock-Out" From Contamination

Measurement Certainty

- 0.005 ppm LDL Every 3 Minutes
- No Cross Interferences for H₂S
- Predictive Alarm in ≤ 20 Seconds
- Wide Over-Range Detection
- Multi-Stream Up to 4 Channel
- 10 Months Data Logging Storage
- CSA Div. 1; ATEX / IECEx Zone 1

Key Applications

Refinery / Petrochemical

- Flare Emissions
- Catalyst Protection
- Fuel Gas


Natural Gas

- Well Head
- Processing Plant Inlet, Outlet, and Flare
- Natural Gas, LNG, and NGL Pipeline
- Custody Transfer



ProTech903™ D1 / CE


Extended-Life Tape With No Interferences



Humidifier Provides Faster Response



Large Local Display With LED Indicators



Secure Remote Access With Advanced Diagnostics

